



GLOBAL TIMBER.

PROFILE & PRODUCT CATALOGUE

SAWN WOOD

**WE
HEART
WOOD**



WE

40 years experience.
Product experts
and professionals.
Global presence.

HEART

We have grown up with
wood. We are passionate
about wood. We know all
about wood.

WOOD

High quality hardwood.
45+ different types of
wood. 30+ countries
and 6 continents.

HARDWOOD IS THE HEART OF EVERYTHING WE DO

Global Timber is a well-established and independent supplier of hardwood.

At Global Timber, we are hardwood experts and specialists. We have grown up with wood. We know quality wood and we are passionate about our business.

Our primary role is to be an inspiring and innovative link between your purchase, the forests and the sawmills around the world.

With representation in Africa, America, Asia and Europe, we ensure quality and optimal logistics on all continents, even in countries where this is challenging.

Our mission is to provide wood of the highest quality while helping to preserve our global forests through various environmental certifications.



07 WHO WE ARE

08 NORTHERN EUROPE'S LARGEST STOCK OF HARDWOOD TIMBER

09 THE HARDWOOD INDUSTRY

16 SAWN WOOD

Abachi/Ayous	Mahogni, Sapele
Ash, American	Mahogni, Sipo
Ash, European	Maple, American
Ash (thermo)	Maple, European
Azobe	Merbau
Basswood	Oak, European
Beech	Oak (smoked), European
Bilinga	Oak, red American
Birch	Oak, white American
Bubinga	Oregon Pine
Cherry, American	Poplar, American
Cumaru	Red Alder
Douglas	South Yellow Pine
Elm, American	Teak
Ipé	Teak, Plantation
Iroko	Walnut, American
Jatoba	Wengé
Mahogni, Khaya	Zebrano

26 DECKING

28 CLADDING



30 SUSTAINABLE SOURCING ENVIRONMENTAL POLICY

34 COMPETENCES

EXPERIENCE, VISION & PASSION FOR HARDWOOD

WHO WE ARE

Global Timber is an independent, Danish-owned company with four partners in our management. With individual competencies and years of experiences in global trading of hardwood, they represent a great team with a profound knowledge about the business of hardwood.

Our market position is based on product accessibly representing Northern Europe's largest stock of hardwoods.

"It takes many years to achieve the desired quality, but our buyers have the right competencies for developing trust-based relationships and for maintaining these through professional collaborations. "

Understanding the culture of a particular area is part of Global Timber's ethical foundation and business model.

All of the partners have extensive experience, a shared vision for Global Timber and are passionate about hardwood.

Our **vision** is to bring a sustainable piece of nature into people's life.

Our **mission** is to ensure sustainability in worldwide hardwood forestry and to continuously provide our customers as their preferred trading partner through knowledge, innovation and customer value.



NORTHERN EUROPE'S LARGEST STOCKIST OF HARDWOOD

Global Timber is the largest stockist of hardwood in Northern Europe.

Our very extensive range of quality hardwood has been carefully selected from sawmills around the world. From our warehouse in Aarhus, Denmark, we supply hardwood to industries throughout Scandinavia and large parts of Europe.

Global Timber has established personal and trust-based relationships with our suppliers worldwide.

Our core values are quality, service, honesty and care for the environment. Together with wide product accessibility from our warehouse, we guarantee our customers quality products delivered on time and at competitive prices.

globaltimber.net



WE

40 years experience.
Product experts
and professionals.
Global presence.

HEART

We have grown up
with wood. We are
passionate about
wood. We know all
about wood.

WOOD

High quality hard-
wood. 45+ different
types of wood. 30+
countries and 6
continents.

QUALITY,
COMPETENCE,
INNOVATION AND
AN UNMATCHED
LOGISTICS SYSTEM





WE ARE LEADERS AT SATISFYING TIMBER INDUSTRY NEEDS

We are leaders in satisfying timber industry needs. Our large warehouse is well stocked to ensure that we remain at the forefront of market trends.

Global Timber supplies to industries such as furniture, kitchens, mouldings, windows and many more. We always provide guidance and try to meet the needs of our industrial customers.

Learn more at our website globaltimber.net and find inspiration for your next project and see which species we recommend for your specific industry.

FURNITURE BEAD MOULDING WINDOWS & DOORS MARITIME FLOORS KITCHENS



WE STOCK MORE THAN 45 DIFFERENT WOOD SPECIES FROM ALL OVER THE WORLD

Our central warehouse stocks the market's most sought-after types of wood and dimensions, and we continuously adapted our range to meet customers' needs and requirements.

Global Timber has a well-established network of carefully selected suppliers and we enjoy good collaborative relationships with all of ours suppliers.

Our purchasing and production specialists often visit sawmills around the world and regularly carry out inspections to ensure that these sawmills continue to meet our

high standards and our customers' increasingly high standards and requirements.

We have a strong presence in many locations around the world where our own specially trained staff operate, all of them possessing extensive hardwood industry knowledge and experience.

Most of our hardwoods we offer, is available as certified wood. Contact our sales team and learn more about the different species and which ones we offer as FSC®-certified.

ABACHI/AYOUS	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-12%
Weight	About 400kg/m3
Origin	West Africa



ASH, AMERICAN	
Thickness	1, 1¼, 1½, 2 and 2½"
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Northern America



ASH, EUROPEAN	
Thickness	26, 33, 40 and 52 mm
Quality	A
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 650kg/m3
Origin	Europe



ASH (THERMO)	
Thickness	26, 33, 40 and 52 mm
Quality	A
Square edged/Un-edged	Square edged
Moisture Content	4-6%
Weight	About 550 kg/m3
Origin	Europe



AZOBE	
Thickness	26, 30, 40, 50, 60, 75, 100, 150, 200 and 300 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	Fresh cut
Weight	About 1250 kg/m3
Origin	West Africa



BASSWOOD	
Thickness	1, 1¼, 1½, 2 and 2½"
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 400kg/m3
Origin	Northern America



BEECH	
Thickness	26, 33, 40, 52 and 65 mm
Quality	A
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Europe



BILINGA	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 750 kg/m3
Origin	West Africa



BIRCH	
Thickness	26, 33, 40 and 52 mm
Quality	A
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 600 kg/m3
Origin	Finland, Baltics



BUBINGA	
Thickness	26, 33, 40 and 52 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 925 kg/m3
Origin	West Africa



CHERRY, AMERICAN	
Thickness	1, 1¼, 1½ og 2"
Quality	Superprime & Prime
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 550 kg/m3
Origin	Northern America



CUMARU	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	16-18%
Weight	About 950 kg/m3
Origin	Brazil



DOUGLAS	
Thickness	26, 33, 40 and 52 mm
Quality	A
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 500 kg/m3
Origin	Europe



ELM, AMERICAN	
Thickness	1, 1¼, 1½ and 2"
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 550 kg/m3
Origin	Northern America



IPÉ	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	Air dried
Weight	About 1100 kg/m3
Origin	Brazil



IROKO	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	12-14%
Weight	About 600 kg/m3
Origin	West Africa



JATOBA	
Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-14%
Weight	About 1.000 kg/m3
Origin	Brazil



MAHOGANY, KHAYA	
Thickness	26, 33, 40 and 52 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 600 kg/m3
Origin	West Africa



MAHOGANY, SAPELE	
Thickness	26, 33, 40, 52, 65 and 78 mm
Quality	FAS
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	About 10-12%
Weight	About 650 kg/m3
Origin	West Africa



MAHOGANY, SIPO	
Thickness	26, 33, 40, 52, 65 and 78 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	10-12%%
Weight	About 650 kg/m3
Origin	West Africa




MAPLE, AMERICAN	
Thickness	1, 1¼, 1½, 2 and 2½"
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 650kg/m3
Origin	Northern America



MAPLE, EUROPEAN	
Thickness	26, 33, 40, 52 and 65 mm
Quality	A
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 650kg/m3
Origin	Europe



MERBAU	
Thickness	26, 33, 40, 52 and 65 mm
Quality	Select and Better
Square edged/Un-edged	Square edged
Moisture Content	8-12%
Weight	About 800 kg/m3
Origin	South East Asia



OAK, EUROPEAN	
Thickness	26, 33, 40, 52, 65 and 80 mm
Quality	Prime and rustic
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Europe



OAK (SMOKED), EUROPEAN	
Thickness	26, 33, 40 and 52 mm
Quality	Prime
Square edged/Un-edged	Un-edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Europe



OAK, RED AMERICAN	
Thickness	1, 1¼, 1½, 2 and 2½”
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Northern America



OAK, WHITE AMERICAN	
Thickness	1, 1¼, 1½, 2 and 2½”
Quality	Superprime and Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m3
Origin	Northern America



OREGON PINE	
Thickness	26, 33, 40, 52, 65 and 78 mm
Quality	NO2 and better 85/15
Square edged/Un-edged	Square edged
Moisture Content	8-14%
Weight	About 500 kg/m3
Origin	Northern America



POPLAR (TULIPWOOD), AMERICAN	
Thickness	1, 1¼, 1½, 2 and 2½”
Quality	Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 450 kg/m3
Origin	Northern America



RED ALDER	
Thickness	1, 1¼, 1½, 2 and 2½”
Quality	Superior
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 450 kg/m3
Origin	Northern America



SOUTHERN YELLOW PINE	
Thickness	26, 33, 40, 52, 65 and 78 mm
Quality	Saps (prime)
Square edged/Un-edged	Square edged
Moisture Content	8-14%
Weight	About 550 kg/m3
Origin	Northern America



TEAK	
Thickness	26, 32, 40, 52, 65 and 78 mm
Quality	FEQ
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 600 kg/m3
Origin	Asia




TEAK, PLANTATION

Thickness	26, 32, 40, 52, 65 and 78 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 550 kg/m3
Origin	South America



WALNUT, AMERICAN

Thickness	1, 1¼, 1½, 2 and 2½" and
Quality	Superprime and Prime
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 600 kg/m3
Origin	Northern America



WENGÈ

Thickness	26, 33, 40, 52 and 65 mm
Quality	FAS
Square edged/Un-edged	Square edged/Un-edged
Moisture Content	8-10%
Weight	About 750 kg/m3
Origin	West Africa



ZEBRANO

Thickness	40 and 52 mm
Quality	FAS
Square edged/Un-edged	Square edged
Moisture Content	8-10%
Weight	About 800 kg/m3
Origin	West Africa



TERRACE DECKING MADE FROM HIGH- QUALITY WOOD

Global Timber supplies a wide selection of quality terrace decking.

Our well-stocked warehouse has many different sizes of decking boards and popular wood types, such as Jatoba, Ipé and Cumaru.

Regardless of whether you have a request on light, reddish or dark decking, we have it in stock and can deliver your order within a few days.

See our large selection of decking in our **Hardwood Decking Catalogue**.

globaltimber.net





CREATE A WELCOMING ENVIRONMENT WITH CLADDING

Global Timber supplies customers with cladding in required dimensions.

Global Timber supplies the building industry both for interior and exterior use, as well as the production of profiles for facade cladding.

A wooden facade creates a warm natural environment. Our most recommended types of wood can be used with or without surface treatment. If you choose to leave the cladding untreated, you will obtain beautiful silver gray patina due to wind and weather.

See our wide selection of cladding solutions in our Hardwood Cladding Catalogue.

globaltimber.net

WE ARE PROUD OF OUR SUSTAINABLE APPROACH

As a modern, global company, we are leaders in social responsibility, human ethics and sustainable conduct in all of our processes – in Denmark and around the world.

We have a vested interest in taking care of nature because it ensures the source of our wood remains intact.

We are proud to help preserve our forests globally through important environmental certification programmes. This contributes to better conditions for the forests and a futureproof environment focusing on CO2 emissions.

We want to provide righteous conditions according to CSR in local areas worldwide. We source from licensed log-suppliers and we support sustainable forestry.



WE MAKE A POSITIVE DIFFERENCE

Wood improves the indoor climate for millions of people around the world.

WE ALWAYS TRADE RESPONSIBLY

Global Timber is FSC® and PEFC™ - certified and meets EUTR requirements.

SUSTAINABLE QUALITY

When you choose hardwood, you obtain a quality product that lasts forever.

RESPONSIBLE SOURCING AND ENVIRONMENTAL POLICY

Global Timber's environmental policy is based on respect for our natural resources and on the importance our forests have for the climate – for current generations and for future generations

We actively work to operate and maintain sustainable forestry. We ensure that trees are felled legally, in accordance with international standards, local regulations and legislation in our partners' countries.

Global Timber is an active and engaged member of the Danish Timber Trade Federation, which requires that its members source wood based on sustainable principles and that they inspect their suppliers to ensure that they are environmentally responsible.

Global Timber recognises and supports the Forest Stewardship Council® (FSC®) and the Programme for the Endorsement of Forest Certification schemes™ (PEFC™).

Global Timber is FSC® certified. We are also PEFC-certified. Furthermore, we have implemented the EU security system that prevents trade in illegal timber.

This means that we ensure our products meet EUTR requirements and that we can provide advice and guidance relating to other trade requirements we also comply with. We respect human rights, comply with occupational health and safety regulations, are engaged in anti-corruption and enter into partnerships that care for the environment, people and nature.



EXPLORE THE COMPETENCES OF GLOBAL TIMBER

Our primary role is to be an inspiring and innovative link between your purchase, the forest and the sawmills around the world. Choosing us as your partner, we guarantee you an optimisation of your purchases, a competitive price, delivery reliability and agreed quality.

Global Timber's unique level of service and efficiency means delivery on time and at the agreed quality. When you choose us to supply your hardwood, you will be ensured delivery within 2-3 days throughout Denmark. Furthermore, we ensure short-term delivery in the European market.

Our reliability of delivery is one of our strengths and a key factor in ensuring the continued success of our business.

Global Timber constantly endeavours to supply the required products at the required quality. Our warehouse is well stocked, with the most popular species and dimensions, and we are experts in logistics.

Our purchasing team are industry specialists with extensive experience and expert knowledge. Our solidly anchored supply chain ensures stable capacity at our warehouse. This helps to secure our extremely high delivery reliability.





CONTACT

T +45 48 27 00 00
mail@globaltimber.dk

HEADQUARTER & WAREHOUSE

a/s Global Timber
Michael Drewsens Vej 1
8270 Hoejbjerg, Aarhus
Denmark

globaltimber.net